

- · Self-serve heated Multi Deck display unit
- Innovative airflow technology: no hot or cold spots
- Boosts impulse sales

#### **Standard characteristics**

- 35 cm wide 4 level display
- Product temperature maintained at 65-70°C
- Ideal for chicken, wraps, snacks, soups etc.
- Upright design saves space
- Offers merchandising opportunities throughout the store
- Total display capacity of 0.588 m<sup>2</sup>
- Footprint of 0.340 m<sup>2</sup>
- Clear side glass and angled shelves provide optimal product visibility
- Shatter-resistant clear side glass for optimum safety and insulation
- Saves up to 20% on energy by air-curtain technology on each shelf
- Safe holding temperature for up to four hours
- Angled shelves, safe to touch
- · Illuminated changeable sign at top
- Price strips on each shelf
- Shelf lighting from overhead canopy
- · Front bumpers to protect from shopping carts
- 98% recyclable (environmentally friendly)
- Plug-and-play



Signage





Safe-to-touch angled shelves



#### Grab and Go Merchandisers




#### Multi Deck 35 4 level

With the upright, self-serve
Fri-Jado Multi Deck, your
customers can pick up delicious,
hot pre-packaged snacks and meal
solutions practically anywhere in
the store. It features four levels,
which allows you to stock
numerous products and reduce
the need for re-stocking.


Hot air is blown from the front of the shelf and circulates within the shelf surface resulting in optimum air circulation around the hot product.

Large glazed walls give a 180-degree view of the products. The appealing design gives outstanding product presentation which is sure to boost impulse sales.






#### fri-jado



# 360 340



These are basic drawings. For more detailed technical information, please refer to the installation manual at www.frijado.com.

#### Multi Deck 35 4 level

#### **Dimensions**

Width 360 mm
Width incl. supports 440 mm
Depth 945 mm
Height 1862 mm

#### **Technical data**

Net weight 230 kg
Gross weight 271 kg
Voltage 230 V
1~
Frequency 50 Hz
Power 1.9 kW



- Self-serve heated Multi Deck display unit
- Innovative airflow technology: no hot or cold spots
- Boosts impulse sales

#### **Standard characteristics**

- 60 cm wide 4 level display
- Product temperature maintained at 65-70°C
- Ideal for chicken, wraps, snacks, soups etc.
- Upright design saves space
- Offers merchandising opportunities throughout the store
- Total display capacity of 1.35 m<sup>2</sup>
- Footprint of 0.586 m<sup>2</sup>
- Clear side glass and angled shelves provide optimal product visibility
- Shatter-resistant clear side glass for optimum safety and insulation
- Saves up to 20% on energy by air-curtain technology on each shelf
- Safe holding temperature for up to four hours
- Angled shelves, safe to touch
- Illuminated changeable sign at top
- Price strips on each shelf
- Shelf lighting from overhead canopy
- Front bumpers to protect from shopping carts
- 98% recyclable (environmentally friendly)
- Plug-and-play



Signage



180-degree product view



Safe-to-touch angled shelves



In-store impulse-generating merchandiser

#### Grab and Go Merchandisers




#### Multi Deck 60 4 level

With the upright, self serve Fri-Jado Multi Deck, your customers can pick up delicious, hot pre-packaged snacks and meal solutions practically anywhere in the store. It features four levels, which allows you to stock numerous products and reduce the need for re-stocking.


Hot air is being blown from the front of the shelf and circulates within the shelf surface resulting in an optimum air circulation around the hot product.


Large glazed walls creating a 180-degree view and products at eye-level in an appealing design create an outstanding product presentation and boost impulse





#### 





These are basic drawings. For more detailed technical information, please refer to the installation manual at www.frijado.com.

#### Multi Deck 60 4 level

**Dimensions** 

Width 620 mm
Depth 945 mm
Height 1912 mm

**Technical data** 

Net weight 250 kg
Gross weight 294 kg
Voltage 230 V
1~
Frequency 50 Hz
Power 3.2 kW



- Self-serve heated Multi Deck display unit
- Innovative airflow technology: no hot or cold spots
- Boosts impulse sales

#### Standard characteristics

- 100 cm wide 4 level display
- Product temperature maintained at 65-70°C
- Ideal for chicken, wraps, snacks, soups etc.
- Upright design saves space
- Offers merchandising opportunities throughout the store
- Total display capacity of 2.301 m<sup>2</sup>
- Footprint of 0.945 m<sup>2</sup>
- Clear side glass and angled shelves provide optimal product visibility
- Shatter-resistant clear side glass for optimum safety and insulation
- Saves up to 20% on energy by air-curtain technology on each shelf
- Safe holding temperature for up to four hours
- Angled shelves, safe to touch
- Illuminated changeable sign at top
- Price strips on each shelf
- Shelf lighting from overhead canopy
- Front bumpers to protect from shopping carts
- 98% recyclable (environmentally friendly)
- Plug-and-play



Signage



180-degree product view



Safe-to-touch angled shelves



Keeps hot food above 65°C

#### Grab and Go Merchandisers




#### Multi Deck 100 4 level

With the upright, self-serve Fri-Jado Multi Deck, your customers can pick up delicious, hot pre-packaged snacks and meal solutions practically anywhere in the store. It features four levels, which allows you to stock numerous products and reduce the need for re-stocking.

Hot air is blown from the front of the shelf and circulates within the shelf surface resulting in optimum air circulation around the hot product.


Large glazed walls give a 180-degree view of the products. The appealing design gives outstanding product presentation which is sure to boost impulse sales.








## 275 395 68 395 688 751 691 708 888 751 889 128 882 531 751 889 751 8





These are basic drawings. For more detailed technical information, please refer to the installation manual at www.frijado.com.

#### Multi Deck 100 4 level

Dimensions

Width 1000 mm

Depth 945 mm

Height 1912 mm

**Technical data** 

Net weight 310 kg Gross weight 365 kg Voltage 400/230 V

3N~

Frequency 50 Hz Power 3.7 kW



- Self-serve heated Multi Deck display unit
- Innovative airflow technology: no hot or cold spots
- Boosts impulse sales

#### Standard characteristics

- 120 cm wide 4 level display
- Product temperature maintained at 65-70°C
- Ideal for chicken, wraps, snacks, soups etc.
- Upright design saves space
- Offers merchandising opportunities throughout the store
- Total display capacity of 2.928 m<sup>2</sup>
- Footprint of 1.172 m<sup>2</sup>
- Clear side glass and angled shelves provide optimal product visibility
- Shatter-resistant clear side glass for optimum safety and insulation
- Saves up to 20% on energy by air-curtain technology on each shelf
- Safe holding temperature for up to four hours
- Angled shelves, safe to touch
- Illuminated changeable sign at top
- Price strips on each shelf
- Shelf lighting from overhead canopy
- Front bumpers to protect from shopping carts
- 98% recyclable (environmentally friendly)
- Plug-and-play



Signage





Safe to touch angled shelves



#### Grab and Go Merchandisers




#### Multi Deck 120 4 level

With the upright, self-serve Fri-Jado Multi Deck, your customers can pick up delicious, hot pre-packaged snacks and meal solutions practically anywhere in the store. It features four levels, which allows you to stock numerous products and reduce the need for re-stocking.

Hot air is blown from the front of the shelf and circulates within the shelf surface resulting in optimum air circulation around the hot product.

Large glazed walls give a 180-degree view of the products. The appealing design gives outstanding product presentation which is sure to boost impulse







### 0 1394 1912 0 0 0 531 945 968 1240 951 These are basic drawings. For more detailed technical information, please refer to the installation manual at www.frijado.com.

#### Multi Deck 120 4 level

**Dimensions** 

Width 1240 mm
Depth 945 mm
Height 1912 mm

**Technical data** 

Net weight 345 kg Gross weight 406 kg Voltage 400/230 V

3N~ Frequency 50 Hz Power 3.8 kW