

### Top features

- Design merchandiser for perfect product presentation
- Unlimited combinations possible
- Long holding time guaranteed

### Standard characteristics

- Product temperature maintained at 2-5°C
- Reflector-enhanced PLL lighting for attractive promotion
- Hygienic and simple two-button control
- Hot and cold, full-serve and self-serve can be combined in one design
- Ergonomically designed for maximum operator convenience
- Stainless steel interior and exterior
- Flat plate: 964 mm x 608 mm
- Full-serve: front glass lifts easily and closes gently on gas springs
- Full-serve: available in curved and square glass
- Self-serve: reflective sliding doors at operator side

### Accessories

- Cutting board
- Temperature indicator on customer side
- Water evaporation unit
- Matching pedestal stand
- Matching pedestal low stand

### Optional

- Full-serve curved glass, hot or cold
- Full-serve square glass, hot or cold
- Self-serve curved glass, hot or cold



CD 3 curve self-serve



Cold Deli square



Control panel



Flat plate

## Inline Merchandisers



### Cold Deli 3


*Fri-Jado's Deli Merchandiser system, available in either hot or cold, curved or square, creates the perfect deli environment. The system is designed to give operators the ultimate in flexibility and performance. Available in 3, 4 and 5 GN-pan sizes in full-serve and self-serve designs.*

*The Cold Deli is available in different configurations. Systems can be installed as drop-in versions for existing counters or on a matching floor-mounted stand. For maximum flexibility, the unit is self-contained and can be installed anywhere a single-phase socket is available.*

*With its mild airflow, the Cold Deli maintains the ideal holding temperature. It guarantees the perfect climate for keeping your products fresh.*

## Mouth-watering display





These are basic drawings. For more detailed technical information, please refer to the installation manual at [www.frijado.com](http://www.frijado.com).

## Cold Deli 3

Item	Description
1	Power cable 2.5 m

### Dimensions

Width	1086 mm
Depth	1058 mm
Height	1307 mm
Height on stand	1420 mm
Height on low stand	1300 mm

### Technical data CD 3 FS

Net weight	200 kg
Gross weight	235 kg
Voltage	230 V
	1~
Frequency	50 Hz
Power	0.9 kW
Temperature class	3M1
Refrigerant	R134A

### Technical data CD 3 SS

Net weight	195 kg
Gross weight	229 kg
Voltage	230 V
	1~
Frequency	50 Hz
Power	0.9 kW
Temperature class	2M2
Refrigerant	R134A

Fri-Jado B.V.  
P.O. Box 560  
4870 AN Etten-Leur  
The Netherlands  
Phone +31 76 50 85 400  
Fax +31 76 50 85 444  
e-mail [info@frijado.com](mailto:info@frijado.com)  
[www.frijado.com](http://www.frijado.com)

### Top features

- Design merchandiser for perfect product presentation
- Unlimited combinations possible
- Long holding time guaranteed

### Standard characteristics

- Product temperature maintained at 2-5°C
- Reflector-enhanced PLL lighting for attractive promotion
- Hygienic and simple two-button control
- Hot and cold, full-serve and self-serve can be combined in one design
- Ergonomically designed for maximum operator convenience
- Stainless steel interior and exterior
- Flat plate: 1297 mm x 608 mm
- Full-serve: front glass lifts easily and closes gently on gas springs
- Full-serve: available in curved and square glass
- Self-serve: reflective sliding doors at operator side

### Accessories

- Cutting board
- Temperature indicator on customer side
- Water evaporation unit
- Matching pedestal stand
- Matching pedestal low stand

### Optional

- Full-serve curved glass, hot or cold
- Full-serve square glass, hot or cold
- Self-serve curved glass, hot or cold



CD 4 curve full-serve



Cold Deli square



Control panel



Flat plate

## Inline Merchandisers



### Cold Deli 4


*Fri-Jado's Deli Merchandiser system, available in either hot or cold, curved or square, creates the perfect deli environment. The system is designed to give operators the ultimate in flexibility and performance. Available in 3, 4 and 5 GN-pan sizes in full-serve and self-serve designs.*

*The Cold Deli is available in different configurations. Systems can be installed as drop-in versions for existing counters or on a matching floor-mounted stand. For maximum flexibility, the unit is self-contained and can be installed anywhere a single-phase socket is available.*

*With its mild airflow, the Cold Deli maintains the ideal holding temperature. It guarantees the perfect climate for keeping your products fresh.*

## Mouth-watering display





## Cold Deli 4

### Item Description

1 Power cable 2.5 m

### Dimensions

Width	1419 mm
Depth	1058 mm
Height	1307 mm
Height on stand	1420 mm
Height on low stand	1300 mm

### Technical data CD 4 FS

Net weight	230 kg
Gross weight	271 kg
Voltage	230 V
	1~
Frequency	50 Hz
Power	1.1 kW
Temperature class	3M1
Refrigerant	R134A

### Technical data CD 4 SS

Net weight	225 kg
Gross weight	265 kg
Voltage	230 V
	1~
Frequency	50 Hz
Power	1.1 kW
Temperature class	2M2
Refrigerant	R134A

These are basic drawings. For more detailed technical information, please refer to the installation manual at [www.frijado.com](http://www.frijado.com).

Fri-Jado B.V.  
P.O. Box 560  
4870 AN Etten-Leur  
The Netherlands  
Phone +31 76 50 85 400  
Fax +31 76 50 85 444  
e-mail [info@frijado.com](mailto:info@frijado.com)  
[www.frijado.com](http://www.frijado.com)



### Top features

- Design merchandiser for perfect product presentation
- Unlimited combinations possible
- Long holding time guaranteed
- Standard characteristics
- Product temperature maintained at 2-5°C
- Reflector-enhanced PLL lighting for attractive promotion
- Hygienic and simple two-button control
- Hot and cold, full-serve and self-serve can be combined in one design
- Ergonomically designed for maximum operator convenience
- Stainless steel interior and exterior
- Flat plate: 1630 mm x 608 mm
- Full-serve: front glass lifts easily and closes gently on gas springs
- Full-serve: available in curved and square glass
- Self-serve: reflective sliding doors at operator side

### Accessories

- Cutting board
- Temperature indicator on customer side
- Water evaporation unit
- Matching pedestal stand
- Matching pedestal low stand

### Optional

- Full-serve curved glass, hot or cold
- Full-serve square glass, hot or cold
- Self-serve curved glass, hot or cold



CD 5 curve full-serve



Cold Deli square



Control panel



Flat plate

## Inline Merchandisers



### Cold Deli 5

*Fri-Jado's Deli Merchandiser system, available in either hot or cold, curved or square, creates the perfect deli environment. The system is designed to give operators the ultimate in flexibility and performance. Available in 3, 4 and 5 GN-pan sizes in full-serve and self-serve designs.*

*The Cold Deli is available in different configurations. Systems can be installed as drop-in versions for existing counters or on a matching floor-mounted stand. For maximum flexibility, the unit is self-contained and can be installed anywhere a single-phase socket is available.*

*With its mild airflow, the Cold Deli maintains the ideal holding temperature. It guarantees the perfect climate for keeping your products fresh.*

## Mouth-watering display



## Cold Deli 5

### Item Description

1 Power cable 2.5 m

### Dimensions


Width	1752 mm
Depth	1058 mm
Height	1307 mm
Height on stand	1420 mm
Height on low stand	1300 mm

### Technical data CD 5 FS

Net weight	275 kg
Gross weight	324 kg
Voltage	230 V
	1~
Frequency	50 Hz
Power	1.2 kW
Temperature class	3M1
Refrigerant	R404A

### Technical data CD 5 SS

Net weight	265 kg
Gross weight	312 kg
Voltage	230 V
	1~
Frequency	50 Hz
Power	1.2 kW
Temperature class	2M2
Refrigerant	R404A



These are basic drawings. For more detailed technical information, please refer to the installation manual at [www.frijado.com](http://www.frijado.com).

Fri-Jado B.V.  
P.O. Box 560  
4870 AN Etten-Leur  
The Netherlands  
Phone +31 76 50 85 400  
Fax +31 76 50 85 444  
e-mail [info@frijado.com](mailto:info@frijado.com)  
[www.frijado.com](http://www.frijado.com)