

### Top features

- Modular range of hot, cold and ambient counters
- Full-serve and self-serve solutions
- Adaptable base to blend into store look

### Standard characteristics

- Product temperature maintained at 65-70°C
- Combination of air and heated shelving: no hot or cold spots
- Reflector-enhanced TL lighting for attractive promotion
- Safety lights on each shelf
- Interchangeable to create the lay-out of your needs
- Ergonomically designed for maximum operator convenience
- Thermo pane glass saves energy
- Mirrored sliding doors at operator side
- Stainless steel and powder-coated interior and exterior
- Ideal for hot rolls, pies, pastries, chicken portions etc.
- Point-of-sales advertising options in price strips and on base

### Accessories

- Universal base unit
- Straight end caps, left and right

### Optional

- Full-serve or self-serve

## Inline Merchandisers



## Modular Counter 100 Hot

*Create your own counter line-up in no time. Choose from a stylish range of hot, cold and ambient counters available in both full-serve and self-serve. The counters are specially designed to display your food products. Add base units for additional products or a cash desk.*

*The base of all units can be utilized for point of sales communication such as visual or branding messages. You can also use the price rails on the hot, cold and ambient counters and the top of the base unit for promotions, pricing and branding. The units lend themselves perfectly to customized surrounds, allowing you to blend them into the feel of your store or brand.*



MC 100 hot self-serve



Base unit



Three presentation levels



MC with customized surround

## Maximum flexibility



## Modular Counter 100 Hot

### Dimensions


Width	1000 mm
Depth	771 mm
Minimum height	1516 mm
Maximum height	1546 mm

### Technical data MC 100 Hot FS

Net weight	180 kg
Gross weight	212 kg
Voltage	230 V
	1~
Frequency	50 Hz
Power	2.8 kW
Number of TL lights	3

### Technical data MC 100 Hot SS

Net weight	175 kg
Gross weight	206 kg
Voltage	230 V
	1~
Frequency	50 Hz
Power	3 kW
Number of fluorescent lamps	3



These are basic drawings. For more detailed technical information, please refer to the installation manual at [www.frijado.com](http://www.frijado.com).

Fri-Jado B.V.  
P.O. Box 560  
4870 AN Etten-Leur  
The Netherlands  
Phone +31 76 50 85 400  
Fax +31 76 50 85 444  
e-mail [info@frijado.com](mailto:info@frijado.com)  
[www.frijado.com](http://www.frijado.com)

### Top features

- Modular range of hot, cold and ambient counters
- Full-serve and self-serve solutions
- Adaptable base to blend into store look

### Standard characteristics

- Product temperature maintained at 2-5°C
- Long holding times guaranteed
- Reflector-enhanced TL lighting for attractive promotion
- Safety lights on each shelf
- Interchangeable to create the lay-out of your needs
- Ergonomically designed for maximum operator convenience
- Thermo pane glass prevents glass from condensation and saves energy
- Mirrored sliding doors at operator side
- Stainless steel and powder-coated interior and exterior
- Ideal for sandwiches, filled rolls, dairy products, drinks etc.
- Point-of-sales advertising options in price strips and on base

### Accessories

- Universal base unit
- Straight end caps

### Optional

- Full-serve or self-serve

## Inline Merchandisers



## Modular Counter 100 Cold

Create your own counter line-up in no time. Choose from a stylish range of hot, cold and ambient counters available in both full-serve and self-serve. The counters are specially designed to display your food products. Add base units for additional products or a cash desk.

The base of all units can be utilized for point of sales communication such as visual or branding messages. You can also use the price rails on the hot, cold and ambient counters and the top of the base unit for promotions, pricing and branding. The units lend themselves perfectly to customized surrounds, allowing you to blend them into the feel of your store or brand.



MC 100 cold full-serve



Base unit



Three presentation levels



MC with customized surround

# Maximum flexibility



## Modular Counter 100 Cold

### Dimensions


Width	1000 mm
Depth	771 mm
Minimum height	1516 mm
Maximum height	1546 mm

### Technical data MC 100 Cold FS

Net weight	190 kg
Gross weight	224 kg
Voltage	230 V
	1~
Frequency	50 Hz
Power	1.3 kW
Number of TL lights	3
Temperature class	3M2
Refrigerant	R134A

### Technical data MC 100 Cold SS

Net weight	185 kg
Gross weight	218 kg
Voltage	230 V
	1~
Frequency	50 Hz
Power	1.8 kW
Number of fluorescent lamps	3
Temperature class	3M2
Refrigerant	R404A



These are basic drawings. For more detailed technical information, please refer to the installation manual at [www.frijado.com](http://www.frijado.com).

Fri-Jado B.V.  
P.O. Box 560  
4870 AN Etten-Leur  
The Netherlands  
Phone +31 76 50 85 400  
Fax +31 76 50 85 444  
e-mail [info@frijado.com](mailto:info@frijado.com)  
[www.frijado.com](http://www.frijado.com)



### Top features

- Modular range of hot, cold and ambient counters
- Full-serve and self-serve solutions
- Adaptable base to blend into store look

### Standard characteristics

- Reflector-enhanced TL lighting for attractive promotion
- Safety lights on each shelf
- Thermo pane glass prevents glass from condensation and saves energy
- Interchangeable to create the lay-out of your needs
- Ergonomically designed for maximum operator convenience
- Mirrored sliding doors at operator side
- Stainless steel and powder-coated interior and exterior
- Ideal for cake, doughnuts, muffins, pies, etc.
- Point-of-sales advertising options in price strips and on base

### Accessories

- Universal base unit
- Straight end caps, left and right

### Optional

- Full-serve or self-serve

## Inline Merchandisers



## Modular Counter 100 Ambient

*Create your own counter line-up in no time. Choose from a stylish range of hot, cold and ambient counters available in both full-serve and self-serve. The counters are specially designed to display your food products. Add base units for additional products or a cash desk.*

*The base of all units can be utilized for point of sales communication such as visual or branding messages. You can also use the price rails on the hot, cold and ambient counters and the top of the base unit for promotions, pricing and branding. The units lend themselves perfectly to customized surrounds, allowing you to blend them into the feel of your store or brand.*



MC 100 ambient self-serve



Base unit



Three presentation levels



MC with customized surround

## Maximum flexibility



## Modular Counter 100 Ambient

### Dimensions


Width	1000 mm
Depth	771 mm
Minimum height	1516 mm
Maximum height	1546 mm

### Technical data MC Ambient FS

Net weight	140 kg
Gross weight	168 kg
Voltage	230 V
	1~
Frequency	50 Hz
Power	0.07 kW
Number of TL lights	3

### Technical data MC Ambient SS

Net weight	135 kg
Gross weight	163 kg
Voltage	230 V
	1~
Frequency	50 Hz
Power	0.07 kW
Number of fluorescent lamps	3



*These are basic drawings. For more detailed technical information, please refer to the installation manual at [www.frijado.com](http://www.frijado.com).*

Fri-Jado B.V.  
P.O. Box 560  
4870 AN Etten-Leur  
The Netherlands  
Phone +31 76 50 85 400  
Fax +31 76 50 85 444  
e-mail [info@frijado.com](mailto:info@frijado.com)  
[www.frijado.com](http://www.frijado.com)