

Strive for  
your vision.




# Best in class yield

Top Performance allows more juice per orange to be extracted



## Take control with the new *One-Step*<sup>®</sup> Kit



Designed to simplify and speed up the cleaning process, with a more robust, ergonomic and easy to handle structure. It complies with NSF quality and safety standards, offering an innovative and unique solution.

# Connect to the world of juice

New Zumex Connect platform allows complete remote management of your juicer and will give you access to the most comprehensive reports on the daily use, status, features and productivity of your machines.

## ZUMEX CONNECT



Smart Juicing  
Technology



Real Time  
Data



Business



# ZitruX®

The Next Generation of Juicers

## Self-Sanitization. Automation. More Profits

New level  
of Food  
Safety

New ways of  
Marketing

Best in  
Class Yield

New Tap  
Concept More  
Hygiene and  
Shrink Control

New Shopping  
Experience

More Autonomy,  
Ergonomy and Work  
Safety



### ZitruX



### ZitruX Compact



Shopper

Theatralization: Eye catching effect with automatic lifting of each fruit separately.  
Experience: New interactive "squeeze your own" shopper experience.  
Visual: New display call to action.



Staff

Safety: Easy, Safe and Comfortable loading system.  
Availability: Load juicer once for a full day of juicing.  
Self-Cleaning: Less than 5 min to clean the machine.



Supermarket

Food Safety: Patented system to guarantee hygiene and food safety.  
Self-Care: Full availability during opening hours.  
Smart: IoT to control the revenue, liters counter and new concept tap.



MORE INFO



# Zitrox



The first changes it all



THE FIRST SELF-CLEANING JUICER RANGE

AUTONOMY & ERGONOMY: SELF-FEEDING  
UP TO 70 KGS OF ORANGES

CONNECTIVITY: COMMAND AND CONTROL



Eye-catching video screen for an easy and intuitive use of the machine.

Fast and continuous juice flow thanks to the new volumetric tap. Automatic disinfection.

Integrated bottle dispenser.

High level of autonomy: 120 L waste capacity.

Colors:



Juices:

Oranges

## Specifications

Speed	40 fruits/min	Voltage	208-240 V   50/60 Hz
Feeder capacity	70 kg   154 lb	Power	Squeezing 260W 0.34 HP Cleaning with detergent 2300 W   3.08 HP
Fruit diameter	Kit M: 65-81 mm	Safety	Double detector of access to moving parts. Engine blockage detection.

Bottle capacity 4 trays

1 litre bottles | 96 bottles  
50 cl bottles | 122 bottles  
33 cl bottles | 122 bottles  
25 cl bottles | 144 bottles

See dimensions and  
net weight at [zumex.com](http://zumex.com)



# Zitrox Compact



Self-sanitation in an optimized space



MAXIMUM HYGIENE AND COST SAVING PER SQUARE METER

ONLY 0,46M2 OF FOOTPRINT.

CONNECTIVITY: COMMAND AND CONTROL



Fast and continuous juice flow thanks to the new volumetric tap. Automatic disinfection.

Up to 30Kg of non-stop production. Synchronise loading and unloading operation.

The most compact juicer that cleans and sanitizes itself.

Colors:



Juices:

Oranges

## Specifications

Velocidad	40 fruits/min	Voltage	208-240 V   50/60 Hz
Feeder capacity	30kg	Power	Squeezing 260W 0,34 HP Cleaning with detergent 2100 W   2.81 HP
Fruit diameter	Kit M (Std) 65-81 mm	Safety	Double detector of access to moving parts. Engine blockage detection.

Consumption

Squeezing 1.2 A  
Cleaning with detergent 10.4 A

See dimensions and net weight at [zumex.com](http://zumex.com)



# Multifruit

Pure power,  
unlimited creativity.




SUITABLE FOR HEAVY USE

24-HOUR NON-STOP SERVICE

FAST AND SILENT

NEVER-ENDING AUTONOMY  
WITH THE COUNTERTOP KIT



High performance commercial juicer.

Titanium disc, maximum shredding power and sharper cutting for all fruit and vegetables.

The brushless motor is more powerful and lasts 4 times longer than a conventional motor, with no friction and no heat release.

Two speeds: the speed can be regulated between 3,500 and 4,500 rpm.

More hygienic tap with improved grip and optimised flow.

Colors:



Juices:

Fruit and  
vegetables

## Specifications

Performance	120 kg/h - 1.8 l/min 264 ½ lb/hr - ½ gal/min	Voltage	220-240 V   50-60 Hz 115 V   60 Hz
Waste capacity	13 l	Power output	870 W   1.17 HP
Diameter of fruit	Up to 75 mm	Consumption	1.8 A

Safety

Double micro switch on handle and one on wastebucket. Safety detection system and thermal overload relay

See dimensions and net weight at [zumex.com](http://zumex.com)



# Soul Series 2


Design and intelligence  
in the smallest space.



ULTRA COMPACT, MAXIMUM  
PERFORMANCE AND AUTONOMY

PROVIDES REAL-TIME PRODUCTIVITY AND  
PERFORMANCE DATA

CONICAL SYSTEM® PRECISE CUTTING,  
MAXIMUM JUICE AND TASTE



Juicing kits for all citrus fruits. Squeezes from  
42 to 81 mm diameter.

Push&Juice, with intuitive colour-coded warning  
button.

PulpOut System, automatic filter-sweeper to  
remove the excess of pulp and seeds.

1Step Case Out, clean and convenient juicing  
unit collection for a practical handling.

## Colors:



Limes  
Edition

## Juices

Oranges | Tangerines  
Limes | Lemons\*

\*It is recommended to squeeze  
rounded and thin-skinned lemon  
varieties.

## Specifications

Fruit per minute	M/S KIT: 18 fruits / min XS KIT: 36 fruits / min	Voltage	Multi-voltage 100-240 V   50-60 Hz
Feeder capacity	3/6 oranges, 7/8 limes	Power output	100 W   0.134 HP
Diameter of fruit	M Kit (Std) 64-81 mm S Kit (Op) 45-65 mm XS Kit (Limes Ed) 42-52 mm	Consumption	0.4-3.4 A (100-130 VAC) 0.3-1.5 A (220-240 VAC)
Safety	Microswitch on door and motor locking detection mechanism	See dimensions and net weight at <a href="http://zumex.com">zumex.com</a>	

# Minex

## Colourful Evolution.




7 NEW COLOURS. A MORE ELEGANT AND SOPHISTICATED LOOK

ULTRA WEAR- AND WASH-RESISTANT FINISHES

NON-STOP FEEDER SYSTEM

SMALLER FOOTPRINT



Top Performance squeezing system, with extra yield and no cycle limit.

Two ways of serving the juice: with a self-service, non-drip tap or with an integrated decanter.

Efficient and clean with our ASP® antibacterial nanotechnology

Built-in waste bucket.

Colors:



Juices:

Oranges

### Specifications

Fruits per minute	13 fruits / min	Voltage	Multi-voltage 100-240 V   50-60 Hz
Feeder capacity	6 / 7 fruits	Power output	44 W   0.06 HP
Diameter of fruit	65 - 78 mm	Consumption	0.2 A / 0.45 A

Safety

Triple safety detector and motor locking detection mechanism

See dimensions and net weight at [zumex.com](http://zumex.com)



# Essential Pro

Maximum simplicity





PRACTICAL SIMPLICITY

TOUCH CONTROL DIGITAL DISPLAY

22 ORANGES PER MINUTE

EASY TO DISASSEMBLE AND CLEAN



Manual feeder with capacity for 4-5 fruits, making juicing easier.

Operating modes. Self-service: the machine serves the juice directly into a glass or jug.

Autostart: the juicer starts up automatically when the citrus fruit is placed into the feeder.

S Kit for smaller citrus fruit, such as limes and lemons (45-67 mm).

The self-service mode comes with a non-drip tap which also has a special position for automatic dispensing.

Colors:



Juices:

Oranges | Tangerines  
Limes | Lemons

## Specifications

Fruits per minute 22 fruits / min

Feeder capacity 4 / 5 fruits

Diameter of fruit M Kit: 65-81 mm  
S Kit (Op): 45-67 mm

Safety Double safety detector and motor locking detection mechanism

Voltage 220-240 V | 50-60 Hz  
115 V | 60 Hz

Power output 300 W | 0.40 HP  
320 W | 0.43 HP

Consumption 2.7 A

See dimensions and net weight at [zumex.com](http://zumex.com)



# Versatile Pro

Absolute autonomy.




PULPOUT SYSTEM.  
150 KG NON-STOP PRODUCTION

22 ORANGES PER MINUTE

TOUCH CONTROL DIGITAL DISPLAY

FRUIT COUNTER – PARTIAL/TOTAL



Operating modes. Self-service: the machine serves the juice directly into a glass or jug.

Professional: serves juice in continuous mode. The number of oranges can be programmed.

1Step Kit, so you can remove the entire juicing system quickly and easily.

Ultra-smooth feeder system with front door for easy loading of fruit.

The tap comes with an Easy Press front push button and a special position for automatic dispensing.

Colors:



Juices:

Oranges | Tangerines  
Limes | Lemons

## Specifications

Fruits per minute	22 fruits / min	Voltage	220-240 V   50-60 Hz 115 V   60 Hz
Feeder capacity	16 kg   35 lb	Power output	380 W   0.51 HP 320 W   0.43 HP
Diameter of fruit	M Kit: 65-81 mm S Kit (Op): 45-67 mm	Consumption	2.7 A

Safety

Double safety detector and motor locking detection mechanism

See dimensions and net weight at [zumex.com](http://zumex.com)



# Versatile Star



The most compact self-service juicer on the market.



40 FRUITS PER MINUTE

PULPOUT SYSTEM. 150 KG NON-STOP PRODUCTION

MAXIMUM AUTONOMY AND SPEED OF SERVICE IN JUST 0.26 M<sup>2</sup> OF SPACE



1Step Kit, clean and convenient juicing unit extraction.

Self-service mode: the juice is served directly into the glass or jug.

Bottle holder available with 3 sizes:  
34,4 mm | 36 mm | 38 mm.

The Waste Limit function helps to monitor the filling level of the waste trolley.

Lightweight, wheeled podium or Juice Corner wooden cabinet.

Colors:



Juices:

Oranges | Tangerines  
Limes | Lemons

## Specifications

Fruits per minute 40 fruits / min

Voltage 230V | 50 Hz  
115 V | 60 Hz

Feeder capacity 20 kg | 44 lb

Power 280W | 0.38 HP  
360W | 0.48 HP

Diameter of fruit M Kit: 65-81 mm  
S Kit (Op): 45-67 mm

Consumption 1.4 A / 3.4 A

Safety


Double safety detector and motor locking detection mechanism

See dimensions and net weight at [zumex.com](http://zumex.com)



# Speed Up

The fastest and sturdiest commercial juicer.




40 FRUITS PER MINUTE

GROUNDBREAKING DESIGN

PULPOUT SYSTEM. AUTOMATIC FILTERING FOR GREATER AUTONOMY

Models:



Up 2Services tap in countertop model.

With bottle holder available in 3 sizes:  
34,4 mm | 36 mm | 38 mm.

Wide or Slim steel podium or Juice Corner wooden cabinet.

Colors:



Juices:

Oranges | Tangerines  
Grapefruits | Limes | Lemons

## Specifications

Fruits per minute	40 fruits/ min	Voltage	220-240 V   50-60 Hz 120 V   60 Hz 100 V   50-60 Hz
Feeder capacity	20 kg   44 lb	Power output	460 W   0.62 HP 320 W   0.43 HP 350 W   0.47 HP
Diameter of fruit	M Kit: 65-81 mm S Kit (Op): 45-67 mm L Kit (Op): 75-95 mm	Consumption	1.9 A / 2.7 A / 3.5 A

Safety

Triple safety detector and motor locking detection mechanism

See dimensions and net weight at [zumex.com](http://zumex.com)



# Speed S<sup>+</sup>plus

The highest performance commercial juicer.



40 FRUITS PER MINUTE

NO. 1 IN PERFORMANCE. GREAT ROBUSTNESS AND RELIABILITY

PULPOUT SYSTEM. AUTOMATIC FILTERING FOR GREATER AUTONOMY

Models:



1Step Kit, so you can remove the entire juicing system quickly and easily.

2Services tap with front push-button and bottle holder available in 3 sizes:  
34,4 mm | 36 mm | 38 mm.

Wide or Slim steel podium or Juice Corner wooden cabinet.

Colors:



Juices:

Oranges | Tangerines  
Grapefruits | Limes | Lemons

## Specifications

Fruits per minute	40 fruits / min	Voltage	220-240 V   50-60 Hz 120 V   60 Hz 100 V   50-60 Hz
Feeder capacity	20 kg   44 lb	Power output	460 W   0.62 HP 320 W   0.43 HP 350 W   0.47 HP
Diameter of fruit	M Kit: 65-81 mm S Kit (Op): 45-67 mm L Kit (Op): 75-95 mm	Consumption	1.9 A / 2.7 A / 3.5 A

Safety

Triple security detector and engine stall detection

See dimensions and net weight at [zumex.com](http://zumex.com)



# Speed Pomegranates

Easy, fast and non-stop  
pomegranate juicer.




POWERFUL AND ROBUST

TRIPLE FILTERING TO OBTAIN  
READY-TO-DRINK, PREMIUM QUALITY JUICE

JUICES POMEGRANATES UP TO 95 MM

Models:



Juicing system especially designed for  
pomegranates.

Up 2Services tap with front button and bottle holder  
available in three sizes: 34,4 mm | 36 mm | 38 mm.

PulpOut System. Extra large conveyor belt to  
remove seeds and optimize performance.

Hard-wearing titanium blade ensures excellent  
cutting and durability.

Excellent autonomy, over 100 Kg of non-stop  
production.

Colour:



Juices:

Pomegranate

## Specifications

Fruits per minute 30 pomegranate / min

Feeder capacity 20 kg | 44 lb

Diameter of fruit M Kit: 75-95 mm  
S Kit (Op): 65-85 mm

Voltage 230 V | 50 Hz  
230 V | 60 Hz  
115 V | 60 Hz

Power 325 W | 0.44 HP  
420 W | 0.56 HP  
280 W | 0.38 HP

Consumption 1.5 A / 2 A / 2.7 A

Safety

4 safety detectors and motor  
locking detection mechanism

See dimensions and net weight  
and net weight at [zumex.com](http://zumex.com)



# PineOmatic

Peel and cut natural pineapple without a fuss.



100% NATURAL, FRESHLY CUT PINEAPPLE

MAKING THE MOST OF THE EDIBLE PART OF EACH PINEAPPLE AND REDUCING WASTE

Models:



Multiply the sale of pineapples by up to 5 times.

Display with video to engage customers and show an easy step by step process.


Contactless. Very easy 3-step self-service operation.

Integrated container dispenser.

Built-in pineapple display case on top.

Continuous animation during the process.

## Specifications

Speed	30"/pineapple	Voltage	220-240V   50/60Hz
Display capacity	8 units	Power output	200 W
Size	Size 6   Size 7   Size 8 (Choose machine settings according to the desired size)	Waste capacity	40 pineapples
Recommended container size	Size 6 and 7: 124 mm - Ø118 mm Size 8: 108 mm - Ø118 mm	See dimensions and net weight and net weight at <a href="http://zumex.com">zumex.com</a>	

# 5 years warranty

Register your product in our website  
within 3 months of purchase and  
extend your warranty from 2 to 5 years.

---



- No cycle limit
- No maintenance contract



- More information




---


# Juicing solutions

Find the commercial juicer that best suits  
the needs of your business.

# Fast service

Fruits / min.





---

**Zumex Group | Headquarters**  
Pol. Ind. Moncada III - C/Moli 2  
46113 Moncada - Valencia - Spain  
Tel: +34 961 301 251  
zumez@zumex.com

---

**Zumex France**  
14 Rue du Pont Neuf,  
75001 Paris - Francia  
Tel: +33 975 187 354  
zumexfrance@zumex.com

---

**Zumex México**  
Uxmal 616, Colonia Vértiz Narvarte  
Delegación Benito Juárez  
CP 03600, Ciudad de México-  
México  
Tel.: +52 (55) 5212-0619  
zumexmexico@zumex.com

---

**Zumex North America**  
1573 NW 82nd Ave,  
Miami, FL 33126 USA  
Tel. +1 305 591 0061  
zumexusa@zumex.com

---